



## X<sup>e</sup> DR 15 Technical Data

● Solar Energy Transmission.....	15%
● Solar Energy Reflection - Exterior .....	34%
● Solar Energy Absorption .....	51%
● Visible Light Transmission .....	16%
● Visible Light Reflection - Exterior.....	38%
- Interior .....	13%
● UV Transmission .....	<1%
● Shading Coefficient (b Value) .....	0.33
● Emissivity .....	0.62
● U-Value (EN 673 W/m <sup>2</sup> K).....	0.91
● Glare Reduction.....	65%
● Total Solar Energy Rejected .....	71%

## Characteristics & Benefits

- Solar control and privacy film.
- Significant improvement of working conditions due to a high reduction in solar heat gain
- Reduction in air-conditioning costs and hence reduction in energy costs
- Glare reduction.
- Excellent anti-UV protection integral to the polyester, reduces fading of textiles, furniture, and works of art.
- Scratch resistance coating: increased longevity and easy cleaning.
- Interior installation.