



X^e R 35 Silver Exterior Technical Data

● Solar Energy Transmission.....	28%
● Solar Energy Reflection - Exterior	43%
● Solar Energy Absorption	29%
● Visible Light Transmission	36%
● Visible Light Reflection - Exterior.....	42%
● UV Transmission	<1%
● Shading Coefficient (b Value)	0.41
● Emissivity.....	0.72
● U-Value (EN 673 W/m ² K)	5.08
● Glare Reduction.....	60%
● Total Solar Energy Rejected.....	64%

Characteristics & Benefits

- Solar control and privacy film.
- Significant improvement of working conditions due to a high reduction in solar heat gain
- Reduction in air-conditioning costs and hence reduction in energy costs
- Glare reduction.
- Excellent anti-UV protection integral to the polyester, reduces fading of textiles, furniture, and works of art.
- Scratch resistance coating: increased longevity and easy cleaning.
- Exterior installation.