



X^e R 35 Silver Technical Data

● Solar Energy Transmission.....	22%
● Solar Energy Reflection - Exterior	43%
● Solar Energy Absorption	35%
● Visible Light Transmission	28%
● Visible Light Reflection - Exterior.....	44%
- Interior	44%
● UV Transmission	<1%
● Shading Coefficient (b Value)	0.36
● Emissivity	0.73
● U-Value (EN 673 W/m ² K)	5.08
● Glare Reductio	68%
● Coefficient of Total Energy Transmission (g Value)	0.31
● Total Solar Energy Rejected	68%

Characteristics & Benefits

- Solar control and privacy film.
- Significant improvement of working conditions due to a high reduction in solar heat gain
- Reduction in air-conditioning costs and hence reduction in energy costs
- Glare reduction.
- Excellent anti-UV protection integral to the polyester, reduces fading of textiles, furniture, and works of art.
- Scratch resistance coating: increased longevity and easy cleaning.
- Interior installation.